



Intelligent Design. Simple to Maintain.

Safe, energy-efficient humidification for directroom applications

- Cost effective small footprint
- Low maintenance alternative to ultrasonic humidification
- Prevents electrostatic discharge (ESD)
- Controller with real-time monitoring capabilities
- Provides clean, healthy humidity to promote wellness and a comfortable environment
- 90% more energy efficient than traditional steam humidifiers
- Integrated TriOBreeze™ sanitization maintains internal humidifier cleanliness
- Easy installation





HydraFog™ Direct Room Humidifiers use patented dry fog technology to effectively humidify any size space.



HydraFog™ DRH
Direct Room Humidifier

SPECIFICATIONS

System Output

- HF7012: 3.6 lbs./hour per box
- HF7020: 6.8 lbs./hour per box

Water Filtration

- Reverse Osmosis and other water filtration options available

HMI Touch Screen Control Display

- NEMA 4X (indoor) display face
- RJ45 Ethernet Port & USB-A Port (2.0) for data logging

PLC Control

(Programmable Logic Controller)

- Interface with existing control systems
- Custom programming
- Remote monitoring available
- Low feed water and leak detection

Humidity and Temperature Transmitter

- Heated probe range 0-100% RH
- Stable measurements in demanding climate conditions

Precision Fabrication

Each unit is engineered for reliability and precision fabricated to ensure flawless operation.



HMI Touch Screen Control Display

Touch screen controller with full-color LED display and easy navigation.

Nationwide Service / Worldwide Sales

Corrigan Corporation of America • 104 Ambrogio Drive, Gurnee, IL 60031 • Ph: 800-462-MIST (6478)
Fax: 847-263-5944 • www.corriganmist.com • www.corriganhumidity.com • Email: sales@corriganmist.com
Patent Pending